

Applicant: YongKang Shi-Ya Aluminum Factory

Date: 12 Sep, 2017

169#, FengXiang Road, GuShan Industrial zone, YongKang City,

Zhejiang

Sample Description:

One(1) group of submitted sample said to be:

Item Name : 3 wheel scooter.

Item No.: TC002.Quantity: 2pcs.Goods Exported To: France.Age Grading: 2+.Country Of Origin: China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested SamplesStandardResultSubmitted SampleEN71-1: 2014 for Mechanical And Physical PropertiesPass

EN71-2: 2011+A1: 2014 Flammability Test Pass

EN 71-3:2013+A1:2014 for migration of certain elements Pass

To be continued

Authorized By:

Intertek Testing Services Ltd, Shanghai, HangZhou Branch

Leo Shi

General Manager



(N)



**Tests Conducted** 

# 1.Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For ages 2 years and up.

The submitted samples were undergone the following abuse tests:						
Test	Clause	Parameter				
Torque Test	8.3	0.34 Nm				
Tension Test	8.4.2.1	50N/90 N				
Protective Components	8.4.2.3	60 N				
Tip-over	8.6	3 times				
Impact Test	8.7	1 kg				
Compression Test	8.8	110 N				

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	Р
4.2	Assembly	Р
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	Р
4.8	Points and Metallic Wires	Р
4.9	Protruding Parts	Р
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	Р
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA



# **Tests Conducted**

	Toeting Itoms	Accomment
<u>Clause</u>	Testing Items Tays intended for Children under 26 Months	<u>Assessment</u>
5	Toys intended for Children under 36 Months	
5.1	General Requirements	P
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA
6	Packaging	Р
7	Warnings, Markings and Instructions for Use	
7.1	General	Р
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	NA
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	Р
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA NA
	1-030 man cords of chains interface for children of 10 Months and over but under 50 Months	INA

Remark: P = Pass NA = Not Applicable

(D)



**Tests Conducted** 

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

#### 1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented on the packaging.

#### 2.Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark: P = Pass NA = Not Applicable

# 3.19 Toxic Elements Migration Test

## (A) Test Result

As per EN 71-3: 2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

# Category (III): Scraped-off toy material

<u>Element</u>		Result (mg/kg)					Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130

(n)

Page 4 of 6



Test Report					Nur	mber:	SHAH00861335	
Tests Conducted								
Copper (Cu)	< 10	< 10	< 10	)	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	)	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	)	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	)	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	)	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	)	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 10	0	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	)	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.	0	< 3.0	< 3.0	< 3.0∆	12
Zinc (Zn)	< 100	< 100	< 10	0	< 100	< 100	< 100	46000
Element	Result (mg/kg)						Limit (mg/kg)	
	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
Aluminium (AI)	< 300	< 300	< 300	< 300		< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	26	69	16	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15		< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	277	46000

### Remark:

Tested Component(s): See component list in the last section of this report.

### (B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off



Unless specified, test results of Chromium (III), Chromium (VI) and Organic tin were derived from migration results of total chromium and tin respectively.



#### **Tests Conducted**

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

### Tested components:

- (1) Red plastic.
- (2) Red soft plastic. (Handle)
- (3) Black plastic.
- (4) Blue plastic. (Pedals, wheels, brands)
- (5) White plastic. (Bottom of wheel rack)
- (6) Green plastic. (Wheel)
- (7) Blue coating.
- (8) Color printing with substrate. (Pedals)
- (9) Color stickers.
- (10) Black and white label.
- (11) Silver metal. (Axle, screw)
- (12) Gold metal.
- (13) Metal substrate. (Car substrate)



Picture 1: Submitted Sample



Picture 2: Submitted Sample

Date Sample Received: Sep 01,2017 Testing Period: Sep 01,2017 To Sep 12,2017

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.