

# TOOLS CREATE THE FUTURE

[www.and-tools.com](http://www.and-tools.com)

-Angle Grinder  
-Impact Drill  
-Circular Saw

**POWER TOOLS**  
Powerfull & Safe

## ANGLE GRINDER



### ▶ A61152

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 710W/800W/900W  
No Load Speed: 11000r/min  
Disc Diameter:  $\Phi$ 115 / 125mm



### ▶ A61252

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1050W  
No Load Speed: 11000r/min  
Disc Diameter:  $\Phi$ 115 / 125mm



### ▶ A61802

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1500W  
No Load Speed: 0-8000r/min  
Disc Diameter:  $\Phi$ 180mm



### ▶ A62302

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 2200W  
No Load Speed: 6000r/min  
Disc Diameter:  $\Phi$ 230mm



### ▶ A61251

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1050W  
No Load Speed: 11000r/min  
Disc Diameter:  $\Phi$ 125mm



### ▶ A61501

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1350W  
No Load Speed: 8500r/min  
Disc Diameter:  $\Phi$ 150mm



### ▶ A61801

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1500W  
No Load Speed: 8000r/min  
Disc Diameter:  $\Phi$ 180mm



### ▶ A62301

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 2200W  
No Load Speed: 6000r/min  
Disc Diameter:  $\Phi$ 230mm



### ▶ A65030

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 710W  
No Load Speed: 10500r/min  
Disc Diameter:  $\Phi$ 100 / 115 / 125mm



### ▶ A61151

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 710W  
No Load Speed: 11000r/min  
Disc Diameter:  $\Phi$ 100 / 115 / 125mm

## ANGLE GRINDER | CAR POLISHER | TORQUE DRILL



### ▶ A61153

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 900W  
 No Load Speed: 11000r/min  
 Disc Diameter:  $\Phi$ 115/125mm



### ▶ A61006

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 800W  
 No Load Speed: 11000r/min  
 Disc Diameter:  $\Phi$ 100 / 115 / 125mm



### ▶ A61803

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1500W  
 No Load Speed: 8000r/min  
 Disc Diameter:  $\Phi$ 180mm



### ▶ A61801-P

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1500W  
 No Load Speed: 0-3000r/min  
 Disc Diameter:  $\Phi$ 180mm



### ▶ A61802-P

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1200W  
 No Load Speed: 0-3000r/min  
 Disc Diameter:  $\Phi$ 180mm



### ▶ A61806-P

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1200W  
 No Load Speed: 600-3000r/min  
 Disc Diameter:  $\Phi$ 180mm



### ▶ A61807-P

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1200W  
 No Load Speed: 600-3000r/min  
 Disc Diameter:  $\Phi$ 180mm



### ▶ A61809-P

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 1200W  
 No Load Speed: 1600-4800r/min . 3200-9600r/min  
 Disc Diameter:  $\Phi$ 160mm



### ▶ A31026

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 280W  
 No Load Speed: 0-350r/min, 0-1050r/min  
 Disc Diameter:  $\Phi$ 10mm



### ▶ A31029

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 280W  
 No Load Speed: 0-750r/min  
 Disc Diameter:  $\Phi$ 10mm



### ▶ A31028

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 280W  
 No Load Speed: 0-750r/min  
 Disc Diameter:  $\Phi$ 10mm



### ▶ A31027

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
 Input Power: 280W  
 No Load Speed: 0-750r/min  
 Disc Diameter:  $\Phi$ 10mm

## ELECTRIC DRILL | IMPACT DRILL



### ▶ A31003

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 450W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 10mm



### ▶ A31007

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 350W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 10mm



### ▶ A31020

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 450W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 10mm



### ▶ A31021

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 500W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 10mm



### ▶ A31303

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 680W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 13mm



### ▶ A31314

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 710W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 13mm



### ▶ A31315

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 650W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 13mm



### ▶ A31322

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 710W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 13mm



### ▶ A31323

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 710W  
No Load Speed: 0-2800r/min  
Chuck Diameter:  $\Phi$ 13mm



## MARBLE CUTTER | CIRCULAR SAW



### ▶ A41101

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1050W  
No Load Speed: 13000r/min  
Chuck Diameter:  $\Phi$ 110mm



### ▶ A41102

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1050W/1200W/1400W  
No Load Speed: 13000r/min  
Chuck Diameter:  $\Phi$ 110mm



### ▶ A41109

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1050W  
No Load Speed: 13000r/min  
Chuck Diameter:  $\Phi$ 110mm



### ▶ A41252

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 900W  
No Load Speed: 5200r/min  
Chuck Diameter:  $\Phi$ 125mm



### ▶ K41854

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1200W  
No Load Speed: 5500r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm



### ▶ A72351

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 2380W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 235mm  
Max Cutting Depth: 45°: 65mm  
90°: 85mm

## CIRCULAR SAW

---



### ▶ A71658

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 165mm  
Max Cutting Depth: 45°: 35mm  
90°: 55mm



### ▶ A71857

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm



### ▶ A71858

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W/1400W/1500W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm



### ▶ A71858-L

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W/1400W/1500W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm



### ▶ L71858

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W/1400W/1500W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm



### ▶ L71858-L

#### Specifications

Voltage/Frequency: 230V-50Hz / 120V-60Hz  
Input Power: 1200W/1400W/1500W  
No Load Speed: 5000r/min  
Max Disc Diameter:  $\Phi$ 185mm  
Max Cutting Depth: 45°: 44mm  
90°: 65mm

---

## BELT SANDER | ELECTRIC ROUTER | ELECTRIC BLOWER

---



### ▶ A80935

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 220W  
No Load Speed: 10000r/min  
Disc Diameter: 93x185mm



### ▶ A80601

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 500W  
No Load Speed: 30000r/min  
Chuck Diameter: 6mm



### ▶ A2801

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 650W  
No Load Speed: 0-13000r/min  
Blowing Rate: 2.5m<sup>3</sup>/min



### ▶ A2803

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 850W  
No Load Speed: 0-13000r/min  
Blowing Rate: 2.8m<sup>3</sup>/min

### ▶ A61805

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1600W  
No Load Speed: 600-3000r/min  
Length: 1.4M  
Clamping Diameter: M14/180mm



### ▶ A31201

#### Specifications

Voltage/Frequency: 230V~50Hz / 120V~60Hz  
Input Power: 1200W  
No Load Speed: 0-550r/min  
Paddle: Φ120mm  
Length: 590mm  
Tool-Connection: M14



▶ Li61001

**Specifications**

Voltage: DC 21V  
No Load Speed: 8000r/min  
Battery Capacity: 4000MAH  
Gear: 2  
Specifications: 100mm



▶ Li31008

**Specifications**

Voltage: DC 21V  
Battery Capacity: 4000MAH  
No Load Speed: 0-3200r/min  
Impact frequency: 0-3500bpm  
Torque: 0-350N.m  
The sleeve: M16-M22  
Gear: 2



▶ Li71659

**Specifications**

Voltage: DC 21V  
Battery Capacity: 4000MAH  
No Load Speed: 5000r/min  
Specifications:  $\Phi$ 165mm  
Max Cutting Depth: 45°: 35mm  
90°: 55mm



**JINHUA AND INDUSTRY&TRADE SHARE CO., LTD**

ADD: No.7, West Tower Road Number Three, Chengxi Industrial Area, Yongkang, China

Tel: 86-579-87350876 Fax: 86-579-87350896

Http://www.and-tools.com

E-mail: sales@and-tools.com

